Amendments to the Claims:

- 1-27. (canceled)
- 28. (currently amended) An isolated nucleic acid <u>encoding a polypeptide</u> having at least 80% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:180 shown in Figure 104 (SEQ ID NO:180);
- (b) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:180 shown in Figure 104 (SEQ ID NO:180), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 104 (SEO ID NO:180);
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 104 (SEQ ID NO:180), lacking its associated signal peptide;
 - (e) the nucleic acid sequence shown in Figure 103 (SEQ ID NO:179);
- [[(f)]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:179 shown in Figure 103 (SEQ ID NO:179); or
- [[(g)]] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203219, wherein the encoded polypeptide has fetal hemoglobin inducing activity.
- 29. (currently amended) The isolated nucleic acid of Claim 28 encoding a polypeptide having at least 85% nucleic acid sequence identity to:
- (a) a nucleic acid-sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:180 shown in Figure 104 (SEQ ID NO:180);
- (b) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:180 shown in Figure 104 (SEQ ID NO:180), lacking its associated signal peptide;
- (c)—a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 104 (SEO ID NO:180);

- (d)— a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 104 (SEQ ID NO:180), lacking its associated signal peptide;
 - (e) the nucleic acid sequence shown in Figure 103 (SEQ ID NO:179);
- [[(f)]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:179 shown in Figure 103 (SEQ ID NO:179); or
- [[(g)]] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203219, wherein the encoded polypeptide has fetal hemoglobin inducing activity.
- 30. (currently amended) The isolated nucleic acid of Claim 28 encoding a polypeptide having at least 90% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:180 shown in Figure 104 (SEQ ID NO:180);
- (b) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:180 shown in Figure 104 (SEQ ID NO:180), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 104 (SEQ ID NO:180);
- (d)—a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 104 (SEQ ID NO:180), lacking its associated signal peptide;
 - (e) the nucleic acid sequence shown in Figure 103 (SEQ ID NO:179);
- [[(f)]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:179 shown in Figure 103 (SEQ ID NO:179); or
- [[(g)]] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203219, wherein the encoded polypeptide has fetal hemoglobin inducing activity.
- 31. (currently amended) The isolated nucleic acid of Claim 28 encoding a polypeptide having at least 95% nucleic acid sequence identity to:

- (a) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:180 shown in Figure 104 (SEQ ID NO:180);
- (b) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:180 shown in Figure 104 (SEQ ID NO:180), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 104 (SEO ID NO:180);
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 104 (SEO ID NO:180), lacking its associated signal peptide;
 - (e) the nucleic acid sequence shown in Figure 103 (SEQ ID NO:179);
- [[(f)]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:179 shown in Figure 103 (SEQ ID NO:179); or
- [[(g)]] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203219, wherein the encoded polypeptide has fetal hemoglobin inducing activity.
- 32. (currently amended) The isolated nucleic acid of Claim 28 encoding a polypeptide having at least 99% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:180 shown in Figure 104 (SEQ ID NO:180);
- (b) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:180 shown in Figure 104 (SEQ ID NO:180), lacking its associated signal peptide;
- (c)—a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 104 (SEO ID NO:180);
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 104 (SEQ ID NO:180), lacking its associated signal peptide;
 - (e) the nucleic acid sequence shown in Figure 103 (SEQ ID NO:179);

- [[(f)]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:179 shown in Figure 103 (SEQ ID NO:179); or
- [[(g)]] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203219, wherein the encoded polypeptide has fetal hemoglobin inducing activity.
 - 33. (currently amended) An isolated nucleic acid comprising:
- (a) a nucleic acid sequence encoding the polypeptide of SEQ ID NO:180 shown in Figure 104 (SEO ID NO:180)
- (b) a nucleic acid sequence encoding the polypeptide of SEQ ID NO:180 shown in Figure 104 (SEQ ID NO:180), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 104 (SEQ ID NO:180);
- (d)—a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 104 (SEQ ID NO:180), lacking its associated signal peptide;
- [[(e)]] (c) the nucleic acid sequence of SEQ ID NO:179 shown in Figure 103 (SEQ ID NO:179);
- [[(f)]] (d) the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:179 shown in Figure 103 (SEQ ID NO:179); or
- [[(g)]] (e) the full-length coding sequence of the cDNA deposited under ATCC accession number 203219.
- 34. (currently amended) The isolated nucleic acid of Claim 33 comprising a nucleic acid sequence encoding the polypeptide of SEQ ID NO:180 shown in Figure 104 (SEQ ID NO:180).
- 35. (currently amended) The isolated nucleic acid of Claim 33 comprising a nucleic acid sequence encoding the polypeptide of SEQ ID NO:180 shown in Figure 104 (SEQ ID NO:180), lacking its associated signal peptide.

- 36. (canceled)
- 37. (canceled)
- 38. (currently amended) The isolated nucleic acid of Claim 33 comprising the nucleic acid sequence of SEQ ID NO:179 shown in Figure 103 (SEQ ID NO:179).
- 39. (currently amended) The isolated nucleic acid of Claim 33 comprising the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:179 shown in Figure 103 (SEO ID NO:179).
- 40. (previously presented) The isolated nucleic acid of Claim 33 comprising the full-length coding sequence of the cDNA deposited under ATCC accession number 203219.
 - 41. (canceled)
 - 42. (canceled)
 - 43. (canceled)
 - 44. (currently amended) A vector comprising the nucleic acid of Claim 28 or 48.
- 45. (previously presented) The vector of Claim 44, wherein said nucleic acid is operably linked to control sequences recognized by a host cell transformed with the vector.
 - 46. (previously presented) A host cell comprising the vector of Claim 44.
- 47. (previously presented) The host cell of Claim 46, wherein said cell is a CHO cell, an *E. coli* or a yeast cell.
- 48. (new) An isolated nucleic acid encoding a polypeptide having at least 80% sequence identity to:
 - (a) the amino acid sequence of the polypeptide of SEQ ID NO:180;

- (b) the amino acid sequence of the polypeptide of SEQ ID NO:180, lacking its associated signal peptide;
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:179; or
- (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203219,

wherein the encoded polypeptide has c-fos inducing activity.

- 49. (new) The isolated nucleic acid of Claim 48 encoding a polypeptide having at least 85% sequence identity to:
 - (a) the amino acid sequence of the polypeptide of SEQ ID NO:180;
- (b) the amino acid sequence of the polypeptide of SEQ ID NO:180, lacking its associated signal peptide;
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:179; or
- (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203219,

wherein the encoded polypeptide has c-fos inducing activity.

- 50. (new) The isolated nucleic acid of Claim 48 encoding a polypeptide having at least 90% sequence identity to:
 - (a) the amino acid sequence of the polypeptide of SEQ ID NO:180;
- (b) the amino acid sequence of the polypeptide of SEQ ID NO:180, lacking its associated signal peptide;
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:179; or
- (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203219,

wherein the encoded polypeptide has c-fos inducing activity.

- 51. (new) The isolated nucleic acid of Claim 48 encoding a polypeptide having at least 95% sequence identity to:
 - (a) the amino acid sequence of the polypeptide of SEQ ID NO:180;
- (b) the amino acid sequence of the polypeptide of SEQ ID NO:180, lacking its associated signal peptide;
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:179; or
- (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203219,

wherein the encoded polypeptide has c-fos inducing activity.

- 52. (new) The isolated nucleic acid of Claim 48 encoding a polypeptide having at least 99% sequence identity to:
 - (a) the amino acid sequence of the polypeptide of SEQ ID NO:180;
- (b) the amino acid sequence of the polypeptide of SEQ ID NO:180, lacking its associated signal peptide;
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:179; or
- (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203219,

wherein the encoded polypeptide has c-fos inducing activity.